

GRENLINE

-YACHTS----



open

Greenline NEO Open - Exterior Design






Greenline NEO Open - Exterior Design





Greenline NEO Open - Bow lounge area standard (optional sunbed)





Greenline NEO Open - Cockpit incl. optional island galley





Greenline NEO Open - Dasboard for optional 3x 12" displays





Greenline NEO Open - Standard bow lounge area with lower V-shaped seating





Greenline NEO Open - Standard bow lounge area with lower V-shaped seating






Greenline NEO Open - lower cabin with twin berth, if sunbed on bow chosen






Greenline NEO Open - Optional hydraulic platform





General Arrangement Plan NEO Open





Greenline NEO propulsion options

All available with gasoline or full electric outboards

GASOLINE OUTBOARDS



CHOSE FROM TWIN 150HP UP TO 300HP ENGINES



For those who enjoy speeds up to 47 knots, the Greenline NEO will be available with twin petrol outboard engines with max power 300 hp.





2X 60kW FULL ELECTRIC OUTBOARD WITH BMW I3 BATTERY TECHNOLOGY



NEO E-Drive will be equipped with twin 55.1 kW Torqeedo Deep Blue electric outboards and dual 30,5 kWh (totalling 61 kWh) high performance BMW i3 batteries allowing maximum range of 40 nm at 5 kts economic speed.





Preliminary Technical Specification - NEO OPEN

LOA incl. optional platform	10,99 m	36'05"		Max. Power	Max. Speed
Hull Length	9,99 m	32'08"	Electric outboard engines	2 x 66 kW	17 kts
Beam overall	3,49 m	11'04''	Gasoline outboard engines	2 x 300 HP	46,7 kts
Draft empty	0,85 m	2'4"	Gasoline outboard engines	2x 250 HP	
Displacement empty (E-Drive)	4.500 kg appr.	9920 lbs	Gasoline outboard engines	2x 200 HP	
Displacement empty (Petrol)	5.700 kg appr.	12566 lbs	Gasoline outboard engines	2x 150 HP	
Cabins	1		CE category	В	
Max. Berths	2		Design	J&J Design	

